



Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin
Commercial and Residential Building, Longgang
City, Wenzhou City, Zhejiang 325802, China



YOUR CUSTOM PRINTING & PACKAGING PARTNER FOR SMALL AND MEDIUM BUSINESSES



Details


XXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

[illegible][illegible][illegible][illegible][illegible]

11

1. 
2. 
3. 
4. 
5. 
6. 
7. 
8. 

□ □

Diagram illustrating a memory array structure. The array is organized into 16 columns and 64 rows. The first column is highlighted in yellow, and the second column is highlighted in blue with a superscript [1].

[illegible]

[illegible]

1. 2026

1. 2026

1. 2026	2. 2026	3. 2026
1. 2026	2. 2026	3. 2026
1. 2026	2. 2026	3. 2026
1. 2026	2. 2026	3. 2026
1. 2026	2. 2026	3. 2026

1. 2026

1. 2026

1. 2026



1. 2026

1. 2026

注意事項

1. 貼紙應貼於乾燥、清潔、無油污之表面，貼紙背面之保護紙應在貼紙後再撕除。
2. 貼紙應貼於陰涼處，避免陽光直射，以免貼紙褪色或變色。
3. 貼紙應貼於平整處，避免貼於凹凸不平之處，以免貼紙起皺或脫落。
4. 貼紙應貼於無電線、開關、鎖孔等處，以免貼紙受損或影響使用。
5. 貼紙應貼於無腐蝕性物質之處，以免貼紙受損。

貼紙使用說明

- 貼紙應貼於乾燥、清潔、無油污之表面
- 貼紙應貼於陰涼處，避免陽光直射
- 貼紙應貼於平整處，避免貼於凹凸不平之處
- 貼紙應貼於無電線、開關、鎖孔等處
- 貼紙應貼於無腐蝕性物質之處

貼紙

貼紙應貼於乾燥、清潔、無油污之表面，貼紙背面之保護紙應在貼紙後再撕除。



貼紙使用說明

貼紙應貼於乾燥、清潔、無油污之表面，貼紙背面之保護紙應在貼紙後再撕除。

貼紙	貼紙說明	貼紙說明	貼紙說明	貼紙說明
貼紙說明	貼紙說明	貼紙說明	貼紙說明	貼紙說明

