



Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin
Commercial and Residential Building, Longgang
City, Wenzhou City, Zhejiang 325802, China



YOUR CUSTOM PRINTING & PACKAGING PARTNER FOR SMALL AND MEDIUM BUSINESSES



10-12 oz 340-410 gsm 80 gsm

Details

10-12 oz 340-410 gsm 80 gsm

131 11 1

1 16 × 15 14.5 × 15.5

16 × 15 14.5 × 15.5

1

1. 1
2. 1
3. 1
4. 1
5. 1
6. 1
7. [FAQ](#)
8. 1

10-12 oz 340-410 gsm 80 gsm

10-12 oz 340-410 gsm 80 gsm

10-12 oz 340-410 gsm 80 gsm



非織造布種類	gsm	用途	特徴
PP80 gsm	80 ($\approx 2.4 \text{ oz/yd}^2$)	医療用敷布	抗菌性
4-5 oz	$\approx 136-170$	医療用敷布	抗菌性
6 oz	≈ 203	医療用敷布	抗菌性
8 oz	≈ 271	医療用敷布	抗菌性
10-12 oz	$\approx 339-407$	医療用敷布	抗菌性

gsmは、ASTM D3776に準拠して測定され、 $\pm 5\%$ の誤差範囲内である。

非織造布の特性と用途

非織造布は、繊維を機械的に結合させた布であり、縫製や糊付けの必要がありません。その特性として、柔軟性、透気性、吸水性、抗菌性などがあります。用途としては、医療用敷布、衛生用品、農業用マルチ、土木用フィルターなどがあります。

- 非織造布の種類は、繊維の種類、製造方法、用途によって異なります。
- 非織造布のgsmは、ASTM D3776に準拠して測定され、 $\pm 5\%$ の誤差範囲内である。
- 非織造布の抗菌性は、AATCC TM135に準拠して測定され、 ≥ 4 のレベルで評価されます。
- 非織造布の透気性は、AATCC TM8に準拠して測定され、 ≥ 1 のレベルで評価されます。
- 非織造布の吸水性は、AATCC TM61に準拠して測定され、 ≥ 1 のレベルで評価されます。
- 非織造布の柔軟性は、AATCC TM8に準拠して測定され、 ≥ 1 のレベルで評価されます。
- 非織造布の強度は、ASTM D3776に準拠して測定され、 ≥ 1 のレベルで評価されます。
- 非織造布の耐熱性は、ASTM D3776に準拠して測定され、 ≥ 1 のレベルで評価されます。

DEHP 2024 65

DEHP Patriotic Reusable Tote DEHP





1. 100% recycled content (including 10% recycled content)
 2. 0.5% recycled content (including 0.13% recycled content)
 3. 1.33% recycled content (including 0.13% recycled content)

4. 131% recycled content (including 11% recycled content)
 5. 2024% recycled content (including 11% recycled content)
 6. 2024% recycled content (including 11% recycled content)

Fast Company
 6. 2024% recycled content (including 11% recycled content)

- 100% recycled content (including 10% recycled content)
- 0.5% recycled content (including 0.13% recycled content)
- 1.33% recycled content (including 0.13% recycled content)
- 131% recycled content (including 11% recycled content)
- 2024% recycled content (including 11% recycled content)
- 2024% recycled content (including 11% recycled content)

PPAI
 \$27.1
 2025
 \$3.8
 14%

10-12 oz
 4-6 oz
 PP 80 gsm

10-12 oz	4-6 oz	PP 80 gsm
~339-407 gsm	~136-203 gsm	80 gsm
131	131	11
DTF DTG	DTF	

紙 重量10-12 oz

紙張4-6 oz

紙PP80 gsm

紙 重量10-12 oz

紙張4-6 oz

紙PP80 gsm

紙 重量10-12 oz

紙張4-6 oz

紙PP80 gsm

紙 重量10-12 oz

紙張4-6 oz

紙PP80 gsm

紙 重量10-12 oz

紙張4-6 oz


紙PP80 gsm

紙 重量10-12 oz

紙 重量10-12 oz

紙 重量10-12 oz

紙 重量10-12 oz



- 紙 重量10-12 oz
- 紙 重量10-12 oz
- 紙 重量10-12 oz
- 紙 重量10-12 oz
- 紙 重量10-12 oz

紙 重量10-12 oz

FAQ

FAQ

100%DTFDTG

FAQ

AATCC TM135

FAQ

10 oz 4-6 oz

FAQ

1311

FAQ

FTC [REDACTED] [REDACTED]^[10] [REDACTED] 100% [REDACTED]
[REDACTED]

FAQ

[illegible]

□ □ □ □ □ □

- 131 11 ()
- 2024 ()
- \$27.1B in 2025, 14% ()
- CPSIA 12 ()
- 65 2024 DEHP ()
- 16 CFR 260.13 ()

[illegible][illegible]

□ □ □ □

1. [eCFR 16 CFR 303 - 美国联邦贸易委员会 \(FTC\) 的](#) 
2. [美国联邦贸易委员会 \(FTC\) 2008 年](#) 
3. [美国联邦贸易委员会 \(FTC\) 65 60 2024-03819 2024-09-12](#) 
4. [美国联邦贸易委员会 \(FTC\) 2011 年](#) 
5. [美国联邦贸易委员会 \(FTC\) 2024-07-30](#) 
6. [Fast Company - 美国联邦贸易委员会 \(FTC\) 2018-11-02](#) 
7. [PPAI - 美国联邦贸易委员会 \(FTC\) 2026-01-12](#) 
8. [eCFR 16 CFR 260.13 - 美国联邦贸易委员会 \(FTC\) 的](#) 
9. [eCFR 16 CFR 260.12 - 美国联邦贸易委员会 \(FTC\) 的](#) 
10. [FTC - 美国联邦贸易委员会 \(FTC\) 的](#) 