



Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin
Commercial and Residential Building, Longgang
City, Wenzhou City, Zhejiang 325802, China



YOUR CUSTOM PRINTING & PACKAGING PARTNER FOR SMALL AND MEDIUM BUSINESSES



Details

我們提供多種服務，包括：

1. RFQ (Request for Quote) 服務，幫助您快速獲取產品報價。

2. 產品目錄查詢，方便您瀏覽和選擇所需產品。

3. 供應商信息查詢，了解我們的合作廠商背景。

4. 產品規格書下載，獲取詳細的技術參數。

5. 產品展示，查看產品的實際樣貌。

6.

1. [關於我們](#)
2. [產品目錄](#)
3. [服務支持](#)
4. [常見問題](#)
5. [聯繫我們](#)
6. [隱私政策](#)
7. [FAQ](#)
8. [其他](#)

歡迎隨時與我們聯繫。

我們致力於為您提供最優質的服務。

如果您有任何問題，請隨時與我們聯繫。

我們將竭誠為您服務。

歡迎再次光臨。

1. 本報告書は、2023年10月1日現在の状況を基に作成されたものであり、今後の状況の変化に応じて更新される可能性があります。

2. 本報告書の目的は、関係者への情報提供と意思決定の支援にあり、特定の法的責任を負うものではありません。

3. 本報告書は、関係者への情報提供と意思決定の支援にあり、特定の法的責任を負うものではありません。

4. 本報告書の目的は、関係者への情報提供と意思決定の支援にあり、特定の法的責任を負うものではありません。

5. 本報告書は、関係者への情報提供と意思決定の支援にあり、特定の法的責任を負うものではありません。

6. 本報告書の目的は、関係者への情報提供と意思決定の支援にあり、特定の法的責任を負うものではありません。

7. 本報告書は、関係者への情報提供と意思決定の支援にあり、特定の法的責任を負うものではありません。

8. 本報告書の目的は、関係者への情報提供と意思決定の支援にあり、特定の法的責任を負うものではありません。

9. 本報告書は、関係者への情報提供と意思決定の支援にあり、特定の法的責任を負うものではありません。

10. 本報告書の目的は、関係者への情報提供と意思決定の支援にあり、特定の法的責任を負うものではありません。

11. 本報告書は、関係者への情報提供と意思決定の支援にあり、特定の法的責任を負うものではありません。

[illegible][illegible][illegible]

244 [NHTSA](#) [23E-033](#)^[1] [NHTSA](#)^[2].

360°F 182°C
TxDOT DMS-8391^[3]



1. 材料と仕様

この規格は、交通標識に使用されるPVC製の反射性シート（厚み130-160 μm）とPVC製の反射性シート（厚み70-100 μm）の製造と試験方法を規定する。

- 材料は、少なくとも20年間の耐久性を確保するために設計される。
- 材料は、反射率を向上させるために反射剤を含み、反射率を向上させるために反射剤を含む。
- 材料は、反射率を向上させるために反射剤を含み、反射率を向上させるために反射剤を含む。

材料は、反射率を向上させるために反射剤を含み、反射率を向上させるために反射剤を含む。0.2°から-4.0°の範囲で反射率を測定する。FHWA MUTCD [2A]^[4]、ASTM E810^[5]、Manual of Traffic Signs^[6]、MnDOT^[7]。

材料は、反射率を向上させるために反射剤を含み、反射率を向上させるために反射剤を含む。49 CFR § 393.26^[8]、ANSI/ISEA 107-2020^[9]、MnDOT^[7]。

FAQ

FAQ: 材料の耐久性は、反射率を向上させるために反射剤を含み、反射率を向上させるために反射剤を含む。49 CFR § 393.26^[8]、ANSI/ISEA 107-2020^[9]、MnDOT^[7]。

FAQ: 1. 材料の耐久性

材料は、反射率を向上させるために反射剤を含み、反射率を向上させるために反射剤を含む。49 CFR § 393.26^[8]、ANSI/ISEA 107-2020^[9]、MnDOT^[7]。

FAQ

How do I use the test results to determine the appropriate material for my application?

FAQ

How do I use the test results to determine the appropriate material for my application?

FAQ

How do I use the test results to determine the appropriate material for my application?

FAQ

How do I use the test results to determine the appropriate material for my application?

FAQ

- How do I use the test results to determine the appropriate material for my application? — How do I use the test results to determine the appropriate material for my application? 244 ()
- How do I use the test results to determine the appropriate material for my application? — How do I use the test results to determine the appropriate material for my application? 360°F 182°C ()
- How do I use the test results to determine the appropriate material for my application? — How do I use the test results to determine the appropriate material for my application? 0.2° 4.0° ()
- How do I use the test results to determine the appropriate material for my application? — ASTM E810 0.1° 2.0° (60° ())
- How do I use the test results to determine the appropriate material for my application? — How do I use the test results to determine the appropriate material for my application? 3 ()

FAQ

How do I use the test results to determine the appropriate material for my application?

How do I use the test results to determine the appropriate material for my application?

FAQ

1. How do I use the test results to determine the appropriate material for my application? 23E-033, 3M How do I use the test results to determine the appropriate material for my application? 913-72, 2023 <https://static.nhtsa.gov/odi/rci/2023/RCLRPT-23E033-7392.PDF> ←
2. How do I use the test results to determine the appropriate material for my application? <https://www.nhtsa.gov/search-safety-issues> ←
3. How do I use the test results to determine the appropriate material for my application? DMS-8391 How do I use the test results to determine the appropriate material for my application? https://ftp.dot.state.tx.us/pub/txdot-info/cst/DMS/8000_series/pdfs/8391.pdf ←
4. How do I use the test results to determine the appropriate material for my application? 11th 2A. How do I use the test results to determine the appropriate material for my application? https://mutcd.fhwa.dot.gov/pdfs/11th_Edition/Chapter2a.pdf ←
5. ASTM International E810-20 2025 How do I use the test results to determine the appropriate material for my application? <https://store.astm.org/e0810-20r25.html> ←

6. Manual of Traffic Signs <https://www.traffic-sign.us/signsheet.html> ↵
7. <https://www.dot.state.mn.us/trafficeng/signing/doc/retroreflectivesheetingIDguide.pdf> ↵
8. 49 CFR § 393.26 <https://www.law.cornell.edu/cfr/text/49/393.26> ↵
9. ANSI/ISEA 107-2020 <https://webstore.ansi.org/standards/isea/ansiisea1072020> ↵

10月 21, 2026