



Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers


Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin
Commercial and Residential Building, Longgang
City, Wenzhou City, Zhejiang 325802, China



YOUR CUSTOM PRINTING & PACKAGING PARTNER FOR SMALL AND MEDIUM BUSINESSES



Details



- □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

TPE 28-34 mN/m

ASTM D3330/D3330M^[2] 180°A 90°F



2. 材料の特性と適用範囲

材料の特性は、その用途に大きく影響します。例えば、粘着力、柔軟性、耐久性などは、材料の組成や加工方法によって異なります。また、適用範囲も、温度、湿度、圧力などの環境条件によって変わります。

EU規格は、製品の品質と安全性を確保するために制定されています。EU規格は、[EN \(EU\) 2025/40^{\[3\]}](#)によって定められており、2026年12月までに適用されます。この規格は、製品の性能と安全性を評価するための基準を提供しています。

3. 材料の選定と加工方法

IDは、製品の識別と追跡を可能にするための技術です。IDは、製品の品質と安全性を確保するために重要です。TPEは、柔軟性と耐久性を兼ね備えた材料です。TPEは、製品の性能と安全性を評価するための基準を提供しています。

ASTM D7932-17は、2023年に制定された規格です。ASTM D7932-17は、製品の性能と安全性を評価するための基準を提供しています。この規格は、製品の品質と安全性を確保するために制定されています。

2024年、33,848件の製品が[Car and Driver^{\[5\]}](#)によってテストされました。このテストは、製品の性能と安全性を評価するための基準を提供しています。このテストは、製品の品質と安全性を確保するために制定されています。

[illegible]

[OEKO-TEX STANDARD 100^{\[10\]}](#) [1]
[3] []

□ □

[illegible][illegible]

ISO 9001:2015

1. ISO [ISO/TS 18614:2016](#) — — — — —. [↵](#)
2. ASTM International [ANSI Webstore](#) [ASTM D3330/D3330M-04\(2025\)](#). [↵](#)
3. EUR-Lex [\(EU\) 2025/40](#) — — — — — 11 2025 12 2026. [↵](#)
4. ASTM International [NSAI Standards](#) [ASTM D7932-17 \(R2023\)](#). [↵](#)
5. Car and Driver 12 2024. [↵](#)
6. The Toy Insider 18 2026. [↵](#)
7. Hunan Today 2026. [↵](#)
8. E3S Web of Conferences [\(ICUEMS 2025\)](#). [↵](#)
9. [Proposition 65 60](#) 2020-03283 3 2020. [↵](#)
10. OEKO-TEX [OEKO-TEX STANDARD 100](#) — — — — —. [↵](#)
11. ISO [ISO 9001:2015](#) — — — — — 2021. [↵](#)