



Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin
Commercial and Residential Building, Longgang
City, Wenzhou City, Zhejiang 325802, China



YOUR CUSTOM PRINTING & PACKAGING PARTNER FOR SMALL AND MEDIUM BUSINESSES



Product Image











[illegible]

如何選擇合適的UV膠水 [↑](#)

UV膠水是一種特殊的樹脂材料，在紫外光線照射下會迅速固化。它廣泛應用於建築、汽車、電子、醫療等領域。選擇合適的UV膠水時，需要考慮以下幾個因素：

1. 固化時間：根據實際需求選擇固化時間，如快速固化或慢速固化。

2. 粘合力：根據被粘材料的種類和表面特性選擇具有良好粘合力度的膠水。

3. 透明度：如果膠水用於透明材料，應選擇透明度高的膠水。

4. 耐熱性：根據使用環境的溫度選擇具有良好耐熱性的膠水。

5. 耐濕性：根據使用環境的濕度選擇具有良好耐濕性的膠水。

6. 耐化學性：根據使用環境的化學物質選擇具有良好耐化學性的膠水。

7. 耐老化性：根據使用環境的光照強度選擇具有良好耐老化性的膠水。



如何選擇合適的UV膠水 [↑](#)

UV膠水是一種特殊的樹脂材料，在紫外光線照射下會迅速固化。它廣泛應用於建築、汽車、電子、醫療等領域。選擇合適的UV膠水時，需要考慮以下幾個因素：

- 固化時間：根據實際需求選擇固化時間，如快速固化或慢速固化。
- 粘合力：根據被粘材料的種類和表面特性選擇具有良好粘合力度的膠水。
- 透明度：如果膠水用於透明材料，應選擇透明度高的膠水。
- 耐熱性：根據使用環境的溫度選擇具有良好耐熱性的膠水。
- 耐濕性：根據使用環境的濕度選擇具有良好耐濕性的膠水。
- 耐化學性：根據使用環境的化學物質選擇具有良好耐化學性的膠水。
- 耐老化性：根據使用環境的光照強度選擇具有良好耐老化性的膠水。

UV膠水是一種特殊的樹脂材料，在紫外光線照射下會迅速固化。它廣泛應用於建築、汽車、電子、醫療等領域。選擇合適的UV膠水時，需要考慮以下幾個因素：





[illegible][illegible][illegible][illegible]



□ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible]

項目	数量	単位
材料費	1000000	円
人件費	500000	円
経費	200000	円
合計	1700000	円

[illegible][illegible]



□

11

□□□□□□

□□□□□□

[illegible]

□ □

1111111111111111

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible][illegible]

□ □ □ □ □ □ □ □ □ □ □ □

1111111111111111

□ □

□ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

☐magnetic

A&C Plastics^[5]

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □ 

- [illegible]

