Zigpac

Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin Commercial and Residential Building, Longgang City, Wenzhou City, Zhejiang 325802, China

YOUR CUSTOM

PRINTING & PACKAGING **PARTNER** FOR SMALL AND **MEDIUM BUSINESSES**

Product Image

WANDER
MORE
EXPLORE
MORE
LIFE IS BETTER
AROUND THE FIRE
Adventure Awaits

EXPLORE
MORE
ROUND THE
Adv

WANDER
MORE
EXPLORE
MORE
LIFE IS BETTER
AROUND THE FIRE
EXPLORE
MORE
Adventure Awaits

WANDER
MORE
WANDER
MORE
N
W
E
EXPLORE
MORE
LIFE IS BETTER
AROUND THE FIRE
LIFE IS BETTER
AROUND THE FIRE
Adventure Awaits

Details

[illegible] **UV DTF** [illegible]

[illegible] PrintRunner [illegible] [1] [illegible]

[illegible] Decals.com [illegible] [4]. [illegible]

[illegible]

- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]

[illegible] ↑

[illegible]3[illegible]Want Stickers[illegible] [illegible][5][illegible]4over4[illegible] [illegible][6][illegible]

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	1[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
UV DTF[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□1□□□□	□□□□□□□□□□□□□□□	□□□□□□□□□□□	□□□□□□□□□□□□□□□□□□□PC□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□Sticker Mule□ □□FAQ[7] □□□□□□□□□□□□□□□□□□3.4 mil□86 µm□□□UV□□□□□□□□□□□□UV DTF□□□□□□□□□□□□□□□□□□□□□The Print Reviewer□□□ UV DTF□□□□□□□□□□[8].

□□□□□□□□□□□□□□□□□□□□□□□□□□□□ ↑

□□Sticker Mule□ □□□□□□□□□FAQ[9] □□□□□□□□□□□□□□□□□□□□□□□0.08 in□□□□□□□□□□□□□□□□□□□□□0.09 in□□□□□□1 × 1 in□□15 × 15 in□□□□□□□□□□□□□□□□□□□□300 PPI□□□□□□□□□□□□□□□□□□□□□□□□□□□□Decals.com□ □□□□□□□□□□□□□□□□[10] □□1/2 in□□□□□□□□□□□□1/8 in□□□

YG Tape□□□ □□□□□□□□□□□□□□□□□□□□[11]□□□□□□□□□□□□□□□□□□□□□□□□□□□□□a□e□o□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ ↑

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□Stickerit□ □□□□□□□□□□□□□□□□□□[12] □□□30□□Kim's Direct□□□ □□□□□□□□□□□□[13]□□□□□□□□□□□□□□□□□□□□□□HDPE□□□□PP□□

□□Flywheel Brands□□□□□□□□□□□□ □□□□□□□□□□[14]:

□□□□□□□□	□□□□□□□□□□□□□	□□
□□□□□□□□□□□□□□□□□	1□□□□□□□□□□□□□□	Flywheel Brands□□□
□□□□□□□□□□□	5–7□	Flywheel Brands□□□
□□□□□□□	8–10□	Flywheel Brands□□□
□□□□□□□UV□□□□□□□	□8□□□□□□□3M□□□	Flywheel Brands□□□
Avery MPI 1105 SuperCast□□□□□	□□7□	Avery PDS□□□12

□□□Flywheel□□Avery Dennison□□□□□□□□□□□□□□□□50%□□□Avery□ MPI 1105□□□□□□[15] □□□□12/15/25□□□□□□□□□□□□□□□45°F□□□□□□□50°F□□□□□□□60°F□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ ↑

□□□□□□□□□□□□□□□□□□□□□□□□□Stickerit□□□□□□□□□□□□□□□□□□□□□□□□□□□□□AI□EPS□SVG□PDF□□□JPG□□□PNG□□

- □□□
- □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
- □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
- □□
- □□

□□

[illegible] ↑

[illegible]

3[illegible]0.5–1 in[illegible]PalmGear[illegible]Oracal[illegible]Cricut[illegible]Siser[illegible][16][illegible]

□□□□□□□□□□□□□□□□□□□□ ↑

□□□

□□	□□□□□□	□□□□
□□□□□□□□□□	□□□□□□□□□□□□□□□□	□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□	□□□□□□□□□□□□□□□□	□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□	□□□□□□□□□□□□□□□□□□□□□□□□□	□□□□□□□□□□□□
□□□□□□□□□□□□□□	□□□□□□□□□□□□□□□□□□□□□□□□□□□	□□□□□□□□□□□□□□mm□□□
□□□□□□□	□□□□□□□□□□□□□	□□□□□□□□

□□□ FINAT□□□□[17] □□□FTM 1□180°□□□□□□□300 mm/□□□FTM 9□□□□□□□□□FTM 14□□□□□□□□□□□□□□□□□□□□□□□□□ASTM G155□□□□□□□□□□□□□□□□□□□□Brady□ □□ID□□[18] □□

□□□□□□□□□□□□□□□□□□ ↑

□□□□□□□□□□□□□□□□□□□□□□□□□1□□□□□□□□□□□□□□□□

- □□□□□□□□□□□□□□□□□□□□□□□□□□□□□Printable Press□□□□□□□□70%□□□□□□□□□□□□□□□□2□□□□□□□□□□□□□□ □□□□[19]□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
- □□□□□□□□□□□□□Vinyl Status□□□□□□□□□□□□□□□50°F□10°C□□□□□□□□□ □□□□□[20]□□□□□□□□□□Decals.com□□□□□□□□□60–80°F□□□□□□□□□□
- □□
- □□□□□□□□□□□□□45°□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
- □□□□□□□□□□□□□□□□□□□□180°□□□□□□□□□□□□□□□□□□□□□□□□□24–48□□□□□□□□□□□

□□□□□□□□□□Sticker Mule□FAQ□□□□□□□□□□24□□

[illegible]

[illegible] ↑

[illegible]

[illegible]	[illegible]	[illegible]
[illegible]ID[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	UV DTF	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]

[illegible]PrintRunner[illegible]2[illegible]1[illegible]

[illegible]UL 969[illegible]UL 969[illegible][22][illegible]CPSC[illegible][23] [illegible]8[illegible]0.1%[illegible]1,000 ppm[illegible]12[illegible]OEHHA[illegible]S[illegible]Proposition 65[illegible][24][illegible]2024-12-29[illegible]EU[illegible]FINAT[illegible]PFAS[illegible][25] [illegible]PPWR[illegible]2026-08-12[illegible]PVC[illegible]

[illegible] ↑

[illegible]Avery[illegible]2[illegible]

[illegible]

[illegible] ↑

- [illegible] — [illegible]3 to 5[illegible])
- [illegible] — Avery Dennison[illegible]50%[illegible])
- [illegible] — [illegible]50°F[illegible]10°C[illegible])
- [illegible] — [illegible]0.08 in[illegible]0.09 in[illegible])
- **CPSIA**[illegible] — 0.1%[illegible]1,000 ppm[illegible][illegible])
- [illegible] — [illegible]$1.60[illegible]2024[illegible]$2.90[illegible]2030, 10.4% [illegible]10.4%[illegible])

[illegible] ↑

[illegible]

---

[1]PrintRunner[illegible]2 mil[illegible] ↩

[4]Decals.com[illegible] ↩

[5]Want Stickers[illegible] ↩

[6]4over4[illegible] ↩

[7]Sticker Mule[illegible]FAQ[illegible]3.4 mil[illegible] ↩

[8]The Print Reviewer[illegible]UV DTF[illegible] ↩

[9]Sticker Mule転写FAQ：サイズ、線幅、隙間、解像度の制限。 ↩ [10]Decals.comガイドライン：最小文字サイズ、線幅、施工温度。 ↩ [11]YG Tape：浅いカットでは小さな文字が最初に失敗する。 ↩ [12]Stickerit：対応表面、塗装硬化、ファイル形式、屋外耐用年数。 ↩ [13]Kim's Direct：低表面エネルギー材料を含む剥がれの原因。 ↩ [14]Flywheel Brands：フィルムシステム別屋外耐用年数、水平面での低減。 ↩ [15]Avery Dennison MPI 1105：耐久性、施工温度、保管期限。 ↩ [16]PalmGear：転写テープブランドは互換ではない。 ↩
[17]FINAT：剥離、タック、寸法安定性の試験法。 ↩
[18]Brady：ASTM G155試験と、裏付けのない耐久性主張。 ↩ [19]Printable Press：イソプロピルアルコールによる洗浄と乾燥時間。 ↩ [20]Vinyl Status：最低表面温度50°F。 ↩
[22]UL 969（ANSI）：マーキングおよびラベリングシステム規格の対象範囲。 ↩ [23]CPSC：子ども向け玩具および育児用品のフタル酸エステル制限。 ↩ [24]OEHHA：BPSのProposition 65掲載および警告開始日。 ↩ [25]FINAT PFAS注記：食品接触包装向けPPWRのPFAS制限。 ↩

Product Option